



SPECIFY FINISH

- Natural Aluminum (-1)
- Black (-2)
- White (-3)

GES ECO Track

1 Circuit / 1 Neutral

GLOBAL trac lighting track is engineered to be a durable, dependable, and simple-to-install lighting solution. The track's extruded aluminum construction and continuously crimped conductor ensure mechanical strength and electrical reliability. The integral suspension rail and predrilled mounting holes of the track simplify the installation process.




5 Holt Drive
Stony Point, NY 10980
845-947-3034
www.tsilight.com

FEATURES

- Architectural Grade
- ISO 9002 Quality
- Low Profile, easy installation
- Integral Suspension Rail
- Copper connector / polycarbonate components
- UL Listed.
- 1 Circuit

DESCRIPTION	1-CIRCUIT
4' Track	GES204
8' Track	GES208
12' Track	GES212

ACCESSORIES FOR GES TRACK INSTALLATION



Live End
1-Circuit
GES11




Flexible Conduit Connection
1-Circuit
GES13-16



Feedable "X" Connector
1-Circuit
GES36



Dead Ends
1-Circuit
GES41




Flexible Conduit Connection
1-Circuit
GES13 / GES16



Live Middle Feed
1-Circuit
GES14



Linear Coupler
1-Circuit
GES21




Feedable "T" Connector
1-Circuit
GES40



Mono Point
1-Circuit **GES70**

Convenience Outlet



*Specification sheets are subject to change without notice.

Mounting Component



Cover Plate

Used to cover an outlet box.


GES15



Stem Mount Kit

Used to mount track.

** Custom lengths available. Please consult factory.*



SKBX-12

Grid Clip.

Color	1-Circuit
Black	L019B
White	L019W

Stem Length	1-Circuit
12"	SK12M
18"	SK18M
24"	SK24M
36"	SK36M

TRACK CURRENT LIMITERS

Times Square Track Current Limiters are designed to provide an answer to energy limitations on wattage-per-foot requirements for lighting track installations. For more information, please see the Current Limiters specification sheet:

<http://www.tslight.com/resources/send/8-current-limiters/201-tsc-current-limiters>